ELKAY®

Model **number matrix**

TABLE OF CONTENTS

EZH2O® Bottle Filler Models 3

Enhanced EZH2O® Bottle Filler - Water Cooler Combo Models 3

EZH2O® Bottle Filler - Water Cooler Combo Models 4

EZH2O® In-Wall Recessed Bottle Filler Models 5

Architectural Fountains with Integral EZH2O® Models 5

Architectural Fountains with EZH2O® Retrofit Bottle Filler 6

EZH2O® Paired with Architectural Water Cooler Models 6

EZH20® Outdoor Tubular Bottle Fillers 7

ADA Wall Mount Water Cooler Models 8

EZ & EMABF Family Water Cooler Models 8

Vandal-Resistant VRC Water Cooler Models 9

SwirlFlo® and Soft Sides® Models 10

SwirlFlo® Water Cooler Models 10

Soft Sides® Water Cooler Models 11

SwirlFlo® and Soft Sides® Fountain Models 12

Outdoor Fountains 13

Outdoor Tubular Fountains 13

Stone Outdoor Fountains 13

Legacy Wall & Floor Mount Models 14

EZH2O Liv Residential and Commercial 15

BASIC RULES

- **Filtered water coolers** & bottle fillers begin with an "L".
- **Models ending in "K"** indicate a kit or (PTO pick-to-order item) which ships in multiple cartons. Exception is the EZWSRK and LZWSRK models.
- **Standard "TL" two-level design** is Left-High/Right-Low. "TLR" designs are a reverse configuration with Left-Low/Right-High. EZS & LZS style units have versatile design which allows either installation style.
- **"G" or "GRN" indicates a Green** (high-efficiency) refrigeration system.
- **Units with "F" indicating Glass Filler Prepped** require the glass filler accessory to be purchased separately and field installed. Choices are LK1110 or LK1114. Units with a back or recessed design, such as EHFSA and EFRC, use the LK109A glass filler which is factory installed.
- **BL** means Blank.

EZH2O® BOTTLE FILLER MODELS

ENHANCED EZH2O® BOTTLE FILLER - WATER COOLER COMBO MODELS

LZS TL 8 WS L P

PACKAGING		
P	=	One Box Packaging

COOLER PANEL FINISH		
L	=	Light Gray Granite
S	=	Stainless Steel

WS		
WS	=	Water Station (Bottle Filler)

CHILLING CAPACITY		
8	=	8 GPH Refrigeration System

CONFIGURATION		
BL	=	Single Unit
TL	=	Two-Level Unit (Left-High/Right-Low) Versatile design

FAMILY		
LZS	=	Filtered

EZH2O® BOTTLE FILLER - WATER COOLER COMBO MODELS

LZS TL 8 WS VR L 2 K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)
P	=	One Box Packaging

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

COOLER PANEL FINISH

L	=	Light Gray Granite
S	=	Stainless Steel
BL	=	Stainless Steel (VRC / LVRC models only)

BUBBLER STYLE

VR	=	Optional Vandal-Resistant Bubbler (Except VRC models)
BL	=	Standard Bubbler (VR on VRC/LVRC models; Flexi-Guard® on others)

WS

WS	=	Water Station (Bottle Filler)

CHILLING CAPACITY

8	=	8 GPH Refrigeration System
G8	=	Green (High-efficiency) 8 GPH Refrigeration System (EZS/LZS models)
D	=	Non-Refrigerated Single
DD	=	Non-Refrigerated Two-Level

CONFIGURATION

BL	=	Single Unit
TL	=	Two-Level Unit (Left-High/Right-Low) EZS/LZS have versatile design
TLR	=	Reverse Two-Level Unit (Left-Low/Right-High)

FAMILY

EZS	=	Non-Filtered / LZS = Filtered
EMABF	=	Non-Filtered / LMABF = Filtered
VRC	=	Non-Filtered Vandal-Resistant / LVRCGRN = Filtered Vandal-Resistant
VRCGRN	=	Non-Filtered Green (High-efficiency) / LVRCGRN = Filtered Green

EZH2O® IN-WALL RECESSED BOTTLE FILLER MODELS

EZWS M 8 P K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)

CONFIGURATION

P	=	For pairing with SwirlFlo® EDFPB Fountains
BL	=	All other applications

CHILLING OPTION

8	=	8 GPH Refrigeration System
D	=	Non-Refrigerated

MOUNTING

M	=	Mounting Frame Included
BL	=	Mounting Frame Not Included - Pre-order Required

BOTTLE FILLER

EZWS	=	Non-Filtered EZH2O®
EZWSGRN	=	Non-Filtered EZH2O® with Green Chiller
LZWS	=	Filtered EZH2O®
LZWSGRN	=	Filtered EZH2O® with Green Chiller

ARCHITECTURAL FOUNTAINS WITH INTEGRAL EZH2O® MODELS

EZWS- ERPBM28 K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)

FAMILY

ERPBM28	=	Non-Filtered SwirlFlo® 8 GPH
LRPBM28	=	Filtered SwirlFlo® 8 GPH
EDFP217	=	Two-Level Soft Sides® Fountain
EDFPBM117	=	Two--Level SwirlFlo® Fountain

BOTTLE FILLER

EZWS	=	Non-Filtered EZH2O®
LZWS	=	Filtered EZH2O®

ARCHITECTURAL FOUNTAINS WITH EZH2O® RETROFIT BOTTLE FILLER

EZWS- ERPBB8- RF

CONFIGURATION

RF	=	Retrofit

FAMILY

ERPB8	=	for Two-Level SwirlFlo® 8 GPH Models
ERFP8	=	for Two-Level Soft Sides® 8 GPH Models

BOTTLE FILLER

EZWS	=	Non-Filtered EZH2O®
LZWS	=	Filtered EZH2O®

EZH2O® PAIRED WITH ARCHITECTURAL WATER COOLER MODELS

EZWS- SFGRN 8 K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)

CONFIGURATION

8	=	Single 8 GPH
28	=	Two-Level 8 GPH

FAMILY

SFGRN	=	SwirFlo® Green (High-Efficiency)
SS	=	Soft Sides®

BOTTLE FILLER

EZWS	=	Non-Filtered EZH2O®
LZWS	=	Filtered EZH2O®

EZH2O® OUTDOOR TUBULAR FILLERS

(Standard ships in single carton, FR models in multiple)

LK4420BF 1U FRK BLU

FINISH					
BGE	=	Beige	**ORN**	=	Orange
BLK	=	Black	**PUR**	=	Purple
BLU	=	Blue	**RED**	=	Red
BRN	=	Brown	**TER**	=	Terracotta
EVG	=	Evergreen	**WHT**	=	White
GRY	=	Gray	**YLW**	=	Yellow

COOLER PANEL FINISH		
BL	=	Standard
FRK	=	Freeze-Resistant ("K" indicates the complete model)

CONFIGURATION		
1L	=	Single Bottle Filler, Lower Height Location
1M	=	Single Bottle Filler, Middle Height Location
1U	=	Single Bottle Filler, Upper Height Location
DB	=	Includes Pet Fountain

MODEL		
LK4400BF	=	Single Pedestal
LK4405BF	=	Single Wall-Mount ADA
LK4410BF	=	Single
LK4420BF	=	Dual ADA Pedestal
LK4430BF	=	Triple ADA Pedestal

Other EZH2O® Bottle Filler Models:

- **EZWSRK** = Non-Filtered Retrofit / LZWSRK = Filtered Retrofit (ships in single carton)
- **EZWSSM** = Non-Filtered Surface Mount / LZWSSM = Filtered Surface Mount
- **EMASM** = Non-Filtered Mechanical Surface Mount
- **EMASMB** = Non-Filtered Mechanical Surface Mount Battery-Powered with Visual Monitor / **LMASMB** = Filtered

ADA WALL MOUNT WATER COOLER MODELS

EZ & EMABF FAMILY WATER COOLER MODELS

LZS TL VR 8 L F 2JO C

PACKAGING

C	=	Complete Two-Level Unit
BL	=	Singles will be blank; Two-Level: one-side replacement only

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2JO	=	220V/50Hz
3JO	=	220V/60Hz

GLASS FILLER POPTION

F	=	Prepped for Glass Filler (Ordered Separately)
BL	=	Not Prepped for Glass Filler

COOLER PANEL FINISH

L	=	Light Gray Granite
S	=	Stainless Steel

CHILLING CAPACITY

8	=	8 GPH Refrigeration System
G8	=	Green (High-efficiency) 8 GPH Refrigeration System (EZS/LZS models only)
D	=	Non-Refrigerated Single
DD	=	Non-Refrigerated Two-Level

BUBBLER STYLE

VR	=	Optional Vandal-Resistant Bubbler (Except VRC models)
BL	=	Standard Bubbler (VR on VRC/LVRC models; Flexi-Guard® on others)

CONFIGURATION

BL	=	Single Unit
TL	=	Two-Level Unit (Left-High/Right-Low) EZS/LZS have versatile design
TLR	=	Unidad de 2 niveles inversa (izquierda abajo/derecha arriba)

FAMILY

EZS	=	Non-Filtered / LZS = Filtered
EZO(S)	=	Non-Filtered Sensor-Activated / LZO(S) = Filtered Sensor-Activated
EMABF	=	Non-Filtered / LMABF = Filtered

VANDAL-RESISTANT VRC WATER COOLER MODELS

LVRC TL SC FR 8 S F 2JO C

PACKAGING

C	=	Complete Two-Level Unit
BL	=	Singles will be blank; Two-Level: one-side replacement only

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2JO	=	220V/50Hz
3JO	=	220V/60Hz

GLASS FILLER OPTION

F	=	Prepped for Glass Filler (Ordered Separately)
BL	=	Not Prepped for Glass Filler

COOLER PANEL FINISH

S	=	Stainless Steel; not noted on the (L)VRCGRN models

CHILLING CAPACITY

8	=	8 GPH Refrigeration System
D	=	Non-Refrigerated Single
DD	=	Non-Refrigerated Two-Level

FROST RESISTANCE

FR	=	Optional Frost Resistant model (includes heater strip)
BL	=	Does not include Frost Resistance

LOUVER SCREENS

SC	=	Includes Louver Screens
BL	=	Louver Screens are not included

CONFIGURATION

BL	=	Single Unit
TL	=	Two-Level Unit (Left-High/Right-Low)
TLR	=	Reverse Two-Level Unit (Left-Low/Right-High)

FAMILY

VRC	=	Non-Filtered Vandal-Resistant / LVRCGRN = Filtered Vandal-Resistant
VRCGRN	=	Non-Filtered Green (High-efficiency) / LVRCGRN = Filtered Green
VRCHD	=	Non-Filtered Vandal-Resistant 14 Gauge / LVRCHD = Filtered

SWIRLFLO® AND SOFT SIDES® MODELS

SWIRLFLO® WATER COOLER MODELS

ERPB M V 28 2 RA K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)

TWO-LEVEL CONFIGURATION

RA	=	Reverse Two-Level (Left-Low/Right-High)
BL	=	Standard Left-High/Right-Low

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

CONFIGURATION

8	=	Single 8 GPH
28	=	Two-Level 8 GPH

BUBBLER STYLE

VR	=	Optional Vandal-Resistant Bubbler (Except VRC models)
BL	=	Standard Bubbler (Vandal-Resistant on VRC/LVRC models; StreamSaver™ Flexi-Guard® on GRN models; standard Flexi-Guard® on others)

MOUNTING

M	=	Mounting Frame Included
BL	=	Mounting Frame Not Included - Pre-order Required

FAMILY

ERPB	=	Non-Filtered / LRPB = Filtered
ERPBGRN	=	Non-Filtered Green (High-Efficiency) / LRPBGRN = Filtered Green
ENOB	=	Non-Filtered Sensor Activated

SOFT SIDES® WATER COOLER MODELS

ERFB VR M 8 2 F RA K

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons)

TWO-LEVEL CONFIGURATION

RA	=	Reverse Two-Level (Left-Low/Right-High)
BL	=	Standard Left-High/Right-Low

GLASS FILLER OPTION

F	=	Prepped for Glass Filler (Ordered Separately)
BL	=	Not Prepped for Glass Filler

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2	=	220V/50Hz
3	=	220V/60Hz

CONFIGURATION

8	=	Single 8 GPH
28	=	Two-Level 8 GPH

MOUNTING

M	=	Mounting Frame Included
BL	=	Mounting Frame Not Included - Pre-order Required

BUBBLER STYLE

VR	=	Optional Vandal-Resistant Bubbler
BL	=	Standard Flexi-Guard® Bubbler

FAMILY

ECRSP	=	Non-Filtered Slimline® / LCRSP = Filtered Slimline®
ERFP	=	Non-Filtered
ERO	=	Non-Filtered Sensor-Activated
LNFE	=	Filtered Single
LNTE	=	Filtered Two-Level

SWIRLFLO® AND SOFT SIDES® FOUNTAIN MODELS

EDFPB M V 117 FP RA C

PACKAGING

C	=	Complete Fountain
K	=	Kit (Pick-to-order item - ships in multiple cartons) - Freeze Resistant models

TWO-LEVEL CONFIGURATION

RA	=	Reverse Two-Level (Left-Low/Right-High)
BL	=	Standard Left-High/Right-Low

FREEZE PROTECTION OR GLASS FILLER OPTION

FP	=	Freeze Protection
F	=	Prepped for Glass Filler (Ordered Separately)
BL	=	No option included

CONFIGURATION

114	=	Single SwirlFlo® (EDFPB)
117	=	Two-Level SwirlFlo® (EDFPB)
210	=	Short (non-ADA) Single Soft Sides® (EDFP)
214	=	Single Soft Sides® (EDFP)
217	=	Two-Level Soft Sides® (EDFP)
314	=	Single Slimline® Soft Sides (ECDFPW)
14	=	Single Slimline® Soft Sides® 14 GA (EHWM)
17	=	Two-Level Slimline® Soft Sides® 14 GA (EHWM)
214	=	Single Soft Sides® 14 GA (EHW)
217	=	Two-Level Soft Sides® 14 GA (EHW)

BUBBLER STYLE

V/VR	=	Optional Vandal-Resistant Bubbler (Except VRC models)
BL	=	Standard Flexi-Guard® Bubbler

MOUNTING

M	=	Surface Mounting Plate Included
BL	=	No Mounting Included - must purchase in-wall carrier separately except for EDFP210C, EDFP214, EDFPB114C and ECDFPW models

FAMILY

EDFPB	=	Non-Filtered SwirlFlo® / EDFPBW = Single with Backpanel
EDFP	=	Non-Filtered Soft Sides®
ECDFPW	=	Non-Filtered Slimline® Soft Sides®
EHW	=	Non-Filtered Soft Sides® 14 Gauge

NOTE: The Premium Composite models are indicated with an R such as EDFP214RC, EDFPVR217RFPK.

OUTDOOR FOUNTAINS

OUTDOOR TUBULAR FOUNTAINS (Standard ships in single carton, FR models in multiple)

4405 FRK RED

FINISH

BGE	=	Beige	**ORN**	=	Orange
BLK	=	Black	**PUR**	=	Purple
BLU	=	Blue	**RED**	=	Red
BRN	=	Brown	**TER**	=	Terracotta
EVG	=	Evergreen	**WHT**	=	White
GRY	=	Gray	**YLW**	=	Yellow

OPTION

BL	=	Standard
DB	=	Pet Fountain
FRK	=	Freeze-Resistant ("K" indicates the complete model)
SFRK	=	Sanitary Freeze-Resistant ("K" indicates the complete model)

MODEL

LK4400	=	Single Pedestal
LK4405	=	Single Wall-Mount ADA
LK4410	=	Single
LK4420	=	Dual ADA Pedestal 4430 = Triple ADA Pedestal
LK4460YHHB	=	Yard Hydrant with Hose Bib
LK4461YHLHB	=	Yard Hydrant with Locking Hose Bib
LK4470NLHB	=	Non-Locking Hose Bib Accessory (replaces 97887C)
LK4471LHB	=	Locking Hose Bib Accessory (replaces 97889C)

STONE OUTDOOR FOUNTAINS (Standard ships in single carton, FR models in multiple)

LK4590 SFR (4590 FR FOUNTAIN)

CONFIGURATION

BL	=	Standard model
FR	=	Freeze-resistant model
SFR	=	Sanitary Freeze-resistant model

CONFIGURATION

LK4590	=	Single ADA Pedestal Arm
LK4591	=	Single Pedestal (not ADA)
LK4592	=	Single Wall-Mountl (not ADA)
LK4593	=	Single Wall-Mount ADA
LK4595	=	Dual ADA Pedestal

LEGACY WALL & FLOOR MODELS

(Standard ships in single carton, K models (remote chiller) in 2 cartons)

EWTLA 8 L F 2 K
EWCA 8 T F 3YJO

PACKAGING

K	=	Kit (Pick-to-order item - ships in multiple cartons) - EWTLA/LWTLA models
BL	=	Singles will be blank; Two-Level: one-side replacement only

ELECTRICAL SYSTEM

BL	=	115V/60Hz
2(Y/Z) (JO)	=	220V/50Hz
3(Y/Z) (JO)	=	220V/60Hz

OPTIONS

F	=	Prepped for Glass Filler (Ordered Separately) except EHFSA & ESWA
F	=	LK109A Glass Filler Included - EHFSA & ESWA models
P	=	Foot Pedal Activation
K	=	Backpanel Included
BL	=	Not Prepped for Glass Filler

COOLER PANEL FINISH

L	=	Light Gray Granite
S	=	Stainless Steel
T	=	Sandalwood

CHILLING CAPACITY

3	=	3 GPH Refrigeration System
4	=	4 GPH Refrigeration System
5	=	5 GPH Refrigeration System
8	=	8 GPH Refrigeration System
10	=	10 GPH Refrigeration System
14	=	14 GPH Refrigeration System
16	=	16 GPH Refrigeration System
20	=	20 GPH Refrigeration System
D	=	Non-Refrigerated

FAMILY

EWA	=	Non-Filtered Deluxe Wall Mount Single / LWAE = Filtered version
EWTLA	=	Non-Filtered Deluxe Wall Mount Two-Level / LWTLA = Filtered
EWCA	=	Non-Filtered Compact Wall Mount / LWCE = Filtered version
HEW	=	Non-Filtered Slant Front Compact Wall Mount
ESWA	=	Non-Filtered Simulated Semi-Recessed
EHFSA	=	Non-Filtered ADA Wall Mount / OHFA = Vandal-Resistant version
FD700	=	Non-Filtered Space-ette® Floor Mount / LFDE = Filtered version
EFA	=	Non-Filtered Deluxe Floor Mount / LFAE = Filtered version
EFA	=	Non-Filtered Deluxe Floor Mount Hot & Cold
EFA	=	Non-Filtered Deluxe Floor Mount Sensor-Activated
EFW	=	Non-Filtered Deluxe Floor Mount Water-Cooled
EFWC	=	Non-Filtered Deluxe Floor Mount Corrosion-Resistant
EFY	=	Non-Filtered Deluxe Floor Mount Hazardous Location

EZH20 LIV RESIDENTIAL AND COMMERCIAL

(Standard ships in single carton, K models (remote chiller) in 2 cartons)

LBWD 2 06 WH K

PACKAGING		
K	=	Kit (Pick-to-order item - ships in multiple cartons)
C	=	1 Carton (without chiller)

FRONT GLASS FINISH		
WH	=	Aspen White
BK	=	Midnight

CHILLING CAPACITY		
06	=	Single SwirlFlo® (EDFPB)
00	=	Two-Level SwirlFlo® (EDFPB)

ELECTRICAL SYSTEM		
2	=	220V/50Hz
BL	=	115/60Hz

FAMILY		
LBWD	=	Filtered Built-in Water Dispenser Residential
LBWDC	=	Filtered In-wall Water Dispenser Commercial

ELKAY®

ASIA PACIFIC
asiapac.elkay.com
+65 6592 0130

EUROPE & AFRICA
europe.elkay.com
+971 4 428 5526

LATIN AMERICA
latam.elkay.com
+01 800 73 78 455

MIDDLE EAST
middleeast.elkay.com
+971 4 428 5526

(07/20) F-5409-ELK